



Loopcloud

USER MANUAL

Contents

Introduction	6
Why use Loopcloud?	7
Getting started	8
Installation and system requirements	9
System requirements.....	9
Mac OSX.....	9
Windows PC.....	9
Installation	9
Components	9
Internet connection	9
Performance	10
Licensing and limitations.....	10
First login	10
Getting started	11
Support sidebar	11
Searching for sounds.....	12
Search box.....	12
Tag filter.....	12
Audio Filters	13
Key	13
Tone.....	13
Length	14
Stereo Width.....	14
Loops	14
One Shots	14
Filter results bar	14
Store/Library buttons.....	14
Loops/One-shots buttons	15
Show favourites.....	15
Randomise results.....	15
Show downloaded items only	15
WAV button.....	15
Show FREE content only	15
Show relevant product results.....	15
Show detailed results	15
Get more results	16
Search for similar sounds.....	16

Find harmonic matches.....	16
Find rhythmic matches.....	16
Find similar sounds.....	16
Save searches.....	16
Sorting search results.....	17
Hide a file from future results.....	17
Labels search.....	18
Tabs.....	18
Advanced search.....	18
Using Boolean to search.....	19
Search prefixes – using text box for tag searching.....	19
Regular expressions - power user tool.....	20
Complete list of search commands.....	20
Loopcloud store.....	22
Low Quality Preview with Noise.....	22
Buying a sound.....	22
Suggestions tab.....	23
Finding a previously selected file.....	23
Loopcloud store - buying points.....	24
Free samples.....	25
Library view.....	26
Navigating the library.....	26
Filter library.....	27
Adding your own files.....	27
Points on importing your own files to Loopcloud.....	28
Importing Sample Folders.....	28
What you can add.....	29
What you cannot add.....	29
Indexing files.....	29
File analysis.....	30
Fast mode.....	30
Low CPU mode.....	30
Pause.....	30
Cancelling analysis.....	30
Manually analysing and editing user content.....	30
Loopcloud AI advanced.....	31
BPM.....	31
Key.....	31

Instruments.....	31
Tag Editor.....	31
Browsing your own content.....	31
Filtering your own content using the filter library search bar	32
Renaming	32
Base folders	32
Subfolders.....	32
Keeping Loopcloud in sync with folders and samples on your disk	33
Disabling automatic re-indexing.....	33
Moving and removing	33
Re-adding a folder.....	33
User content images.....	34
Cloud Storage	34
Adding files to cloud storage	34
Managing the Cloud Storage folder	34
Favourites.....	36
Favourites sidebar	36
The loop editor	37
Exporter	37
BPM.....	37
Pitch.....	38
Auto-pattern mode.....	38
Saving and loading patterns.....	39
Save a preset.....	39
Edit.....	39
Undo/Redo	39
Load/Save Session	39
Edit.....	40
View.....	40
Tools	40
Grid	40
Tools.....	41
Drag tool.....	41
Split tool.....	41
Slip tool.....	42
Mute tool.....	42
Reverse tool.....	42
Pitch tool.....	42

Pencil tool.....	43
FX Edit.....	43
Zoom	43
DAW Link.....	43
Artwork and Transport Controls	43
Waveform Editor.....	44
Multitrack Bar	44
Effects dock.....	45
Adding an effect	47
Automation.....	47
Effect presets.....	49
Using Loopcloud with your DAW.....	50
Connect multiple instances of the Loopcloud plugin	50
Using the plugin with MIDI.....	50
Loopcloud Drum & Loopcloud Play	51
Downloading and exporting files.....	52
The Export Button.....	52
Export Preferences	52
Export.....	52
Exporting regions	53
Dragging hides Loopcloud.....	53
Export a file to a location.....	53
Tagging – File Information	55
Name.....	55
Favourite	55
State.....	55
BPM.....	55
Key	55
Tags.....	55
Editing tags.....	56
Edit BPM and Key	56
Adding a tag to a file.....	56
Removing a tag from a file.....	57
Editing more than one file at once.....	57
Creating a new custom tag	57
Menu – Account and Preferences.....	58
Account Window	58
Menu.....	58

Preferences Window	58
Options.....	58
Install Directories for Synth Patches	59
Audio	59
Keyboard Shortcuts – Finding and Creating	59
Advanced user features.....	61
Bulk Tagger	61
Resync.....	61
Checkpoint local database WAL & Deep clean local database (Vacuum and truncate WAL)	61
Show complete product list	61
Show user library folder	61
Clear caches.....	61
Run diagnostics	61
Window size	61
Create your own colour scheme	61
Force products database refresh	62
Find tag UUID in Loopcloud	62
Cancel automatic login	62
Tag keyboard shortcuts	62
Custom automatic tagging	62
Bulk Tagger	62
Files and Folders.....	64
Preview Folder Location	64
Library Folder Location.....	64
Windows and Mac file name issues.....	64
Performance	65

Introduction

Loopcloud is an application and subscription service that provides instant access to a whole host of content from the Loopmasters store. Users have a choice of content to purchase using points as well as free content which is updated with every new pack that is released. Browsing, purchasing, downloading and editing becomes one seamless process for creators to easily access files before importing into a DAW project. For users who have purchased content from Loopmasters before, your content will automatically appear in Loopcloud after logging in. You are also able to import any files from your own personal library, consolidating your sample library in a single location. Whether samples are local or in the cloud, your files are at your command alongside comprehensive editing functions. All of which serve to lower hard drive usage and accelerate your workflow.

Use Loopcloud to browse your existing samples and download new ones. We want you to be able to find the sound you're looking for quickly and easily. Therefore, all files within Loopcloud use our tagging system to help you find what you need.

Compressed previews stream quickly over the internet and as soon as you download the files, the original full-quality uncompressed version is available. You can drag single or multiple files directly from Loopcloud into your music software or chosen location. The Loopcloud plugin allows you to preview audio in sync with your DAW. This makes selecting and editing samples to fit your project much easier to do on the fly.

We also provide a number of [free sample downloads per day](#); with these you can download any file marked as 'FREE' in the Loopcloud store.

Why use Loopcloud?

Loopcloud lets you search millions of sounds from Loopmasters quickly, plus any sounds you have on your down hard disk, then preview them in the context of your track.

The previews will be in-time, in-key, in a rhythm or arrangement of your choice and with any effects from your DAW or Loopcloud applied.

Loopcloud makes finding, managing, and previewing samples fast and fun.

Getting started

Create an account at loopcloud.com

Download and install the software.

Run the Loopcloud app, and log in.

If you already have sounds on your Loopmasters account then you will need to wait while the library database is downloaded, this only happens once but you will have to wait for it to finish before continuing.

Open your DAW, add the Loopcloud plugin to a track.

Set the pitch adjustment to *AUTO* and change the key to match your track, that way Loopcloud will automatically re-pitch any file you select.

Search for samples using the search box in Loopcloud. Loopcloud will get you the best results if you select tags, or use a text search to bring up the auto complete menu and then select tags. By default, Loopcloud will search from your own content and the Loopcloud store samples.

You can select samples and they will play in time and in-key with your DAW session.

When you have found the sample you want to use, drag from the *Export* button to your DAW to import it. Exporting will create an audio file of your current mix. This will export all the Loopcloud tracks as one audio file, including any edits made in the loop editor – such as time stretching and pitch adjustments. You can change the export type by clicking the gear icon next to the *Export* button.

Loopcloud offers many free sounds each day and is of course free to use with your own samples, but you can access the whole catalogue of millions of sounds if you buy a subscription.

Other Loopcloud features include:

- Editing loops and adding effects in order to create new loops.
- Browsing by sample pack.
- Applying predefined preview patterns (these are great with one-shots).
- Adding your own tags to sounds.

And much more – read the rest of the manual for the full details!

Installation and system requirements

System requirements

Mac OSX

- OSX 10.10 and later
- 64-bit standalone application, 64-bit plugins.

Windows PC

- Windows 8 and later
- 32-bit and 64-bit support

The loopcloud preview plugin is available in 32 and 64bit versions on the PC. An AAX version is available.

Loopcloud instrument plugins are 64-bit only.

Installation

- Download Loopcloud from <https://www.loopcloud.com> by following the 'Try Loopcloud Free' button.
- Double click the installer (it should be in your downloads folder).
- Follow the on-screen instructions to complete the installation.

PC users will have the option to specify a location for the VST plugins.

Once the installation has finished open the Loopcloud application.

On Mac it's in your Applications folder.

On Windows you have the option to use a desktop shortcut or you'll find it in the start menu.

Components

Loopcloud includes:

- The powerful Loopcloud application
- A preview plugin you can use to preview loops in sync with your DAW.
- Loopcloud Play – a multi-sample based instrument
- Loopcloud Drum – a sample based drum machine with sequencer.

Internet connection

When you first start Loopcloud, you need to be connected to the internet so that you can log in and download the database of your sounds. (This is a list of all the sounds and tags – you can download the sounds themselves later).

The Loopcloud app and plugins can be used offline once the database download is complete. Only sounds downloaded to your local disk will be available.

The performance when listening to previews and downloading sounds will be better with a fast internet connection.

Performance

The speed of search results depends on the size of your sample library and how powerful your computer is. Here's a rough guide to performance:

	LIGHT USERS (10 SAMPLE PACKS, UP TO 10,000 FILES)	HEAVY USERS (400 SAMPLE PACKS, UP TO 400,000 FILES)
CPU	Intel i3	Intel i7
RAM	4GB	8GB
Disk Speed	Any	SSD recommended
Graphics	Open GL capable graphics card	Open GL capable graphics card

Note:

You may want to exceed the recommended specification, if you have heavy DAW sessions running simultaneously with Loopcloud.

Licensing and limitations

You can use Loopcloud on up to two machines that you own.


If you require more installations of Loopcloud please check our subscription plans [here](#) to upgrade.

Pro subscribers have access on up to four systems.

All sounds and samples in Loopcloud are royalty free. So, you can use any sound you download in your tracks, even if you make money from the music. For more information review the [Loopmasters Licence](#).

First login


When you first open Loopcloud you will be asked to log in. Enter your e-mail and password – use the same account details as your loopmasters.com account.



If you do not yet have an account with loopmasters.com then follow the *Need an account?* link to the right of the login window.

Loopcloud will then download all the data about your content (instrument and genre tags, BPM and key, etc). Loopcloud does not download any actual samples in this process, just the tag data for each sample.


You must let this download complete, or you will have to restart the download when next open Loopcloud. Depending on the size of your library and internet speed, this may take a while, but it only needs to be done once.



Getting started

After you have logged in for the first time, a window will pop-up welcoming you to Loopcloud. This will outline five steps to get you started. We highly recommend new users following through this tutorial to understand the basic Loopcloud functions. After finishing, you'll be set up with Loopcloud connected to your DAW, have your own sounds imported and have conducted your first Loopcloud search.

Support sidebar




Come back to this tutorial any time in the support sidebar. Click the question mark icon in the sidebar menu. Select *Open First Steps*.

You can also find a variety of other useful resources here.

Get Support will take you to the Loopcloud support portal. Here, you can contact support or access the knowledge base. Use if you come across any bugs, or have any feature requests.

Some of the FAQ's are listed in the support sidebar (under *Support Articles*) to make troubleshooting easier. You can also access our tutorial videos by selecting *Watch Tutorials*.


Searching for sounds



Sounds in Loopcloud are tagged with instruments, genres and so on. Click on a tag from the drop-down *INSTRUMENTS* tab to run your first search. You can however also type a tag name into the search box, or search by many other criteria.

If you type text into the search box which doesn't match a tag it will search for files or folders with that text in their name.

Search box




The search box allows you to look for words, numbers or symbols that appear in file names. When you type a word in the search bar that is close to a tag, Loopcloud will auto-complete and replace the text with the closest tag.

If you would like to cancel the auto-complete then type the word you would like to run in the search and click in the text box before running the search. However, to remove this feature permanently, uncheck the *Auto-complete tags* option.

However, Loopcloud provides comprehensive tags for all sounds. Therefore, using tags to search will help you find the sound you are looking for quickly and easily.

Tag filter



Tags are organised into categories listed in the app header, just below the search bar (e.g. *INSTRUMENTS*, *GENRES* etc.). Each is a dropdown menu that contains all the tags within that category.

Select a tag and it will appear in the search bar. Any subsequent tags added will appear alongside those previously added.

Select *Guitar* from the instruments tab and *House* from the genres tab to show all guitars with the house music tag.

If you select multiple tags within a category (e.g. guitar and keyboard) then you'll see results that match both those tags. So, results will show sounds tagged with *Guitar* and *Keyboard*.

To clear individual tags either re-click a tag that has already been selected in the drop-down menu; or click the *x* next to the tag icon in the search bar.

Tags are grouped into categories and sub-categories. So, you'll notice the *Bass* tag highlighted in blue, this is a parent category. Every tag under the *Bass*, i.e. *Bass Guitar* and *Sub*, are sub-categories of the *Bass* tag. Note, if you use a parent category, it will include results from all sub-categories. So, searching for *Guitar* will include acoustic guitars, banjos etc.

Audio Filters

You can now refine your searches within Loopcloud using the Audio Filters from the sidebar. This can be great for finding the sound that is in your head in the Loopcloud Store.

Filters can be applied to your search or to help filter through a sound pack.

Each time a filter is applied, the range will appear in the search bar. Click the *X* on this, the same way you would clear a tag, to reset the filter.

You can also reset filters by double clicking the filter range in the audio filters sidebar. If you double-click the same filter range it will return to the previous values. Drag a filter range to adjust the values without changing the range size.

Note: you can also show the audio attribute value applied to each sound in your results bar by [adding the column to your results](#).

Key

All melodic content will be tagged with a musical key, e.g. F# minor


Click on any key on the keyboard UI, and then either the *MAJOR* or *MINOR* to show results within that specific key.

Note:

If auto-key is selected in the loop editor, then the pitch of a sample automatically adjusts to fit the key of your track. This applies to all sounds with key tags.

Tone

Filter the results based on the target tone or frequency. For example, if you are looking for a bass sound then move the slider to just cover the bass frequencies. This is calculated based on the frequencies covered in the sound. When moving filter slider, you'll see the frequency (Hz) appear above the node.



Length

Use this to only show sounds of a certain length. Each slider controls a value in milliseconds (ms) from 60ms to 1 minute.

Stereo Width

Filter by stereo according to the width of the stereo image. For example, if you want to remove any mono sounds from your results. The slider is filters based on a percentage of stereo width.

Loops

In the loops section you can focus on the type of loop you are looking for. This section is not applicable to one-shot sounds.

BPM

You can set a BPM range to only show files that have a BPM within the set range. For example, if you are working on a House track you may want to set the range between 110 and 125.

Files are automatically adjusted by Loopcloud to meet the target tempo. However, this feature allows you to find results that are close to your target tempo. That way you can avoid sound artefacts from the time stretching process.

Match Tempo

When you have the [Loopcloud plugin in your DAW](#), press the *MATCH TEMPO* button and Loopcloud will filter all BPMs within + or - 10BPM of your DAW tempo. With no DAW link, the range will set to the BPM of your Loopcloud session.

Swing

Use this to find sounds with a straight groove or a funkier swing.

Rhythmic Density

This is useful for filtering categories with a broad range of results. For example, if you're looking for a big drum loop with many percussive elements – adjust the slider to only show more complex sounds from the results.

One Shots

Fine tune the type of one shot you are looking for by adjusting these speed parameters.


Attack

The speed from the start of the sound to its loudest peak.

Decay

The length of the sound's tail.

Filter results bar



The filter results bar contains a set of buttons that are common to most searches. Find it just above the search results. Utilise these to make any quick changes to your search.

Store/Library buttons



When you run a search, Loopcloud will automatically show results from both the store and your library. Deselect either of these in order to show one or the other.

Loops/One-shots buttons



Select one or the other to only show loops or one-shots. If neither are selected, then both loops and one-shots will be shown.

Show favourites



Click a heart icon to mark a sound as favourite. Select this filter to only show results that you have favourited.

Randomise results



To quickly change the order of the results, use the randomise button.

When not selected, files will be returned in the order they are stored in the database - so sounds from the same pack are more likely to be grouped together. You can also sort, once searching has finished by any of the columns in the search results.

Show downloaded items only



This will automatically be selected if the app is running without any internet connection.

When selected, only content that is available on your computer (your user-content and any files you have already downloaded) will be returned. Use this if you are working offline; if your internet connection is slow; or you are just looking for content that you have already downloaded.

This button appears as a little monitor screen icon – to the right of the randomise icon.

WAV button



When selected only WAV files are shown. Otherwise all formats of files are shown, including non-audio files such as synth presets.

Show FREE content only




With this selected the results of your search will only show files that can be purchased for zero points (as part of your free allocation of sounds).

Show relevant product results



This will hide/show the relevant products bar.

When you run a search, a list of packs will appear in a bar above the search results – titled *Relevant products*. These all contain at least one file from the search results.



You can use the arrows in the top right to scroll through some of the packs. Select *Show All* to just see a list of all available sound packs from your search results.

Show detailed results



There are two view types for search results. One has smaller rows and shows more files on the screen.

Get more results

100 results of 468 [get more results](#)

The Loopcloud store will in most cases produce a vast number of results for your search. To load the complete results would take a long load time. Therefore, each search produces a limited number of store results.

Click *get more results* to ask the server to show you more store results.

Note that we always return all the possible results from your local library, including your own content and anything you've purchased from the store.

Note: The WAV button and Randomise results options will be the same for every new search until they are changed. Meanwhile all other options will reset on a new search.

Search for similar sounds

If you find a sound that you like, you can search for sounds that have similar properties. Making it easier to find the right sound or matching sounds.

Click the icon under the match column in your results to select a similar search. You can also access this by right clicking a sound and going to the *Search* menu.

Selecting one of the options will open a new search and change to a new Loopcloud track.

NAME	WAVEFORM	MATCH
10L_174_F_Acid_		
LCT_Synth_Arp_		
CTA_152_Am_Ar		

Find harmonic matches

Loopcloud will find sounds that are harmonically compatible with your source sound.

Find rhythmic matches

Flesh out your rhythmic ideas by finding loops or one-shots that are rhythmically compatible with your source sound. Selecting this option will compile a list of new sounds that we think will be worth your while.

Find similar sounds


Creates a new search tab with content similar to the selected sound. This is based on Loopcloud's tagging system. It will look for sounds that match the instrument type in combination with the audio properties analysed in Audio Filters. In the new search the sounds will be ordered by similarity. This is displayed in the search results under the *Similarity* tab.

Save searches

If you find that you are running the same searches time and time again, it is possible to save a search so that you can quickly recall it.

You can do this by clicking the search icon  next to the search bar and selecting *Save current search*.

To recall a saved search, click the search icon again and select your search from the menu.



Advanced: You can assign a keyboard shortcut to open this menu in the preferences (and then use the arrow keys and enter to select a search). Allowing you to quickly run your most used searches with only a couple of keystrokes.

Sorting search results

Search results can be sorted alphabetically, or by any of the columns in the search results.

Click on the column title that you want to organise your results by. For example, you can organise your files by BPM.



Click the column again if you would like to show a descending order.

Add other columns by right clicking the column header bar and selecting which field you would like to show.

Main

Shows all the general information of the files such as file name and any other default tags.

Tags

Additional tag information such as genre.

Audio attributes

See the value of each audio attribute for the files in your search. This is great if you want to order your results without filtering anything out. For example, if you want to order your results from most to least swing percentage.

Hide a file from future results

Do you ever find yourself coming across a file again and again? Not the one you want, a sound you really dislike. Then you can hide the file from appearing in any further searches but right clicking and selecting *View>Hide item*.

You can also hide whole folders and sample packs in the user library view.

To show hidden items go to the [preferences](#) and enable *Show hidden items*. Here you can un-hide items.

Labels search

The *LABELS* tab under the tag search provides a list of all the labels with products on Loopcloud (and potentially other labels whose content you've purchased from loopmasters.com).

If you are on the *Home* or *Library* tabs and select one of the labels from this list, you will be directed to a new page showing all the products from the label. This is a great way to go through all the content from a label that you love.


However, you can also use the label tags in a regular search. This way you can find specific sounds from a label.

For example, you may want to find all the kick drums from Loopmasters. In this case you would:

- Run a new Kick drum search by selecting the *Kick* tag in a new search tab
- Select the *Loopmasters* tag from the Labels menu
- The results produced will all be kick drums sounds that have been produced by Loopmasters.

Tabs

If you run a new search from the *Library* or *Home* tabs, the search will appear in a new tab.



You can add new tabs using the + icon to run multiple different searches at once.

Mac: ⌘ + Shift + T Windows: Ctrl + Shift + T

Close tabs by clicking the X icon next to the tab name.

Mac: ⌘ + W Windows: Ctrl + W

If the number of tabs goes beyond the window size of the application, you can use the *Show all tabs* icon to go between tabs. 

Next tab:

Mac: ⌘ + Shift + } Windows: Ctrl + Shift + }

Previous tab:

Mac: ⌘ + Shift + { Windows: Ctrl + Shift + {

The icon next to this will hide/show the sidebar. 

Advanced search

Advanced search features can be used if you have a very specific search in mind. These are features for IT-savvy users who are comfortable with boolean logic. You don't need to use them to understand Loopcloud but they can be very useful if you have a large library of sounds and want to adjust or improve the tagging.

Most advanced search features do not work with the store content. Ensure store is disabled in the filter toolbar to avoid errors when using these features.

Using Boolean to search

Use AND, OR, NOT and brackets '(' ')' to refine your search.

These are particularly useful for removing results from a wide search.

For example, you may want a Reggae sound that isn't a drum – but the results show mostly drums.

In this case use:

Reggae AND NOT Drum

This will remove any drum files from the search.

Another example is to add a mixture of results. Let's say you are looking for both a kick and a low tom. Instead of running two searches, run:

kick OR (tom AND low)

This will give results of both kick drums and low tom files.

Search prefixes – using text box for tag searching

This allows you to search and refine tag-based information using the text box.

BPM Search

Search by bpm using:

bpm: (write your bpm range here e.g. 120-124)

Tags

Search for a Tag; for example:

tag:House

Tags with spaces need to be in quotes, including the tag: prefix.

"tag:Drum Loops"

Searching for a tag includes all the sub-tags in the hierarchy of tags. So searching for tag:House includes all types of house music, and searching for

NOT tag:Genre

Will show all samples not tagged with any genre. Include Boolean in other areas of the search in order to extend your search.

To only specify a specific tag, use exact tag.

exacttag:House

To only show items with the specific tag of house – removing any sub-tags.

You can also search by UUID, if you happen to know the UUID of the tag you are looking for. It looks something like this:

tag:123e4567-e89b-12d3-a456-426655440000

The UUID may be useful if you end up with two tags with the same name. The UUID does not change if you rename a tag, nor if Loopmasters rename a tag, so may be a good option when writing scripts that may be used some time in the future.

You can find a full list of the tags by ALT + Right Click on a tag in the [tag manager](#) and selecting *Copy uuid to clipboard*.

You can also find a complete list of UUID's from Loopcloud in your Loopcloud folder

Windows:

C: \\\AppData%\\Roaming\\Loopcloud\\[your_user_name]\\tags.cache

Mac:

[HardDrive]\\Library\\Loopcloud\\[your_user_name]\\tags.cache

Folders

Results will show all the files from folders matching the search criteria. Very useful to cleanly show all content from a folder.

These are case insensitive:

folder:drums

Again, use quotes around the whole thing if the folder name contains spaces.

“folder:drum loops”

Regular expressions - power user tool

Nerd friendly and powerful. They let you perform magic.

For example, You can find all the files with WAV extensions that start with the word BASS and contain a number in the file name.

If you can think of it, regular expressions can do it. Regular expressions are also case sensitive, unlike our other kinds of search.

regex:.*\\d{1,3}_.*

The regular expression format is documented here:


<http://www.cplusplus.com/reference/regex/ECMAScript/>

Complete list of search commands

COMMAND	FUNCTIONALITY
folder:	Search foldername.
tag:	Search tag by name or UUID.
exacttag:	Search tag by name or UUID, do not include child tag matches.
regex:	Search filename using regular expression.
bpm:	Match a bpm or bpm range.

extension:	Search by file extension. i.e. .wav or .midi
favourites:	Show only items marked as favourites – accepts yes or no.
downloaded:	Accepts yes or no, will filter results of downloaded files.
online:	Accepts yes or no, useful if you have imported files from external drives that are not available (they will be currently offline until the drive is plugged in). Use this to show/hide offline files.
AND	Use to add search terms together.
OR	Adds separate searches to the same results.
NOT	Removes terms from a search.
()	Search will read commands contained within parentheses as one.

Loopcloud store



Loopcloud store allows you to search and purchase any sound from our library of millions of samples and thousands of packs.

The store page will automatically open when you log into Loopcloud by default.

You will be presented with a selection of products for you to browse.



Click on the product image (or the *i* icon) to view the product

Click on the play icon to listen to the demo track.

Once you have clicked on the product, you will be taken to the product page where you can view the pack in full.

Click on any file to listen to the preview.

Low Quality Preview with Noise

All files in the store have some additional noise (white noise mixed with some bird song). Once you've bought the sound all this noise is removed.



Noise and bird sounds are removed from all preview sounds for paying subscribers. This will allow you to preview the high quality file.

Buying a sound

To purchase a sound, within the *State* column click on the quick purchase icon.





You can also select the *BUY* button from the editor window at the bottom of the app to make a purchase. Buy all the files in you have loaded in Loopcloud by clicking this button and selecting *BUY ALL*. Purchase just the currently selected sound with *BUY ONE*.



Suggestions tab

The *Suggestions* tab shows popular or relevant content on Loopcloud.

Finding a previously selected file



You're looking for the perfect percussion loop for your track, after some time you realise that your answer was found 3 minutes ago.

Click on the *History* tab located in the side panel.

Here, Loopcloud shows list of all the files that you have previously selected, as well as a timestamp of when you selected it.

Click on any item in the search history and Loopcloud will display that file in the preview, on the currently selected track.

This will only bring up the original audio file. Therefore, if you had made any edits to the audio previously, these will not appear.

Loopcloud store - buying points

You need points to buy samples; with a subscription you will receive a monthly allocation of points.

If you run out of points you can upgrade your subscription or buy top up points.


Click on the account icon  to buy more points or edit your subscription settings (or visit loopcloud.com and log in).

Free samples

Loopcloud will come with some free content already in your library to get started – in a folder called *Sound Foundations*.


However, each subscription plan provides a number of free sample downloads per day.

Locate free samples in a pack by clicking *FREE* in the pack's banner.



A quick way to show the free content when running a search is to select the *FREE* icon in the filter results bar.

Library view



Access the library view by clicking the *Library* tab.

Mac: + Shift + L Windows: Control + Shift + L

In the library view you can:

- See the files you own organised by folder structure.
- Make changes to the tags or bpm for whole folders.

Navigating the library


All the packs you have bought from loopmasters.com and the Loopcloud store will appear in the user library.

If you've never bought any content from us, we've given you some free content to get you started.

In the user library itself you will find a list of folders that correspond to your files.

Use your mouse or the arrow keys to navigate, open and close folders.

You can also right-click a folder and choose *Expand all* or *Collapse all*.




Alongside each file will be some basic information:

- A view of the matching waveform.
- Relevant key information.
- Whether the file has been added to your favourites.
- The BPM of the file.
- The disk size.
- Indication of the state (whether the file has been downloaded etc.).

If you would like to add further information to this list (e.g. the list of relevant tags), right click the bar that titles each column (above all the folders). Then choose the field that you would like to add. Click on titles with a tick next to them to remove from view.

Top-tier folders display information from the files within that folder. If lit, then all files in that folder have the same information. If dim, then not all files have the same information. This applies to any tag-based information.



Individual files will show additional information such as BPM, file size etc.

All columns can be resized and reordered to suit your preference.


Click and drag the column header to change position – i.e. if you would like to see the instrument tag ahead of anything else, then drag it next to the waveform column. Be aware that the *NAME* and *WAVEFORM* columns cannot be reordered but can be removed.

Resize the column with click and drag on the right end of the column header.

Use these techniques to customise your user library to show the information you need to see and fit the library window to your screen size.

Filter library

On the library tab there is a filter box. If you like to browse your library by folder you can use this to find specific files, folders or packs. It's particularly useful for showing only packs that match a specific genre. Clicking on tags in the library tab will automatically add them to the filter, or you can enter terms in this box manually using the keyboard. It supports all the features available in the main search box.



Adding your own files

Samples you already own on your hard disk can be added to Loopcloud.

You can then enjoy the fast searching and other features of Loopcloud on all your content. Imported files will appear alongside your Loopmasters purchases making for easy searching and browsing.



Points on importing your own files to Loopcloud

- Add sample folder(s) by simply dragging into your library in Loopcloud.
- Any changes made to files or folders outside of Loopcloud will automatically synchronise in the application.
- Imported samples appear in *Your Library* in Loopcloud alongside all your Loopmasters purchased content.
- Loopcloud will [analyse your files](#) upon importing to tag them. Meaning that you can search any files using tags.
- Loopcloud will prioritise the folder that you have open in your library when analysing. This helps you work using the files you need quicker. Click on the folder you want to open it, and it'll be analysed first.
- It is also possible to add [custom tags](#) to curate your sample library.


Importing Sample Folders

There are three ways to add samples to Loopcloud...

- Click on the *Add Samples...* button in the top right of the Loopcloud page.
- Locate and select the folder you wish to add to Loopcloud and click Open.




Or you can drag and drop any folder directly into Loopcloud. This will bring up a window confirming the import, select ok and the folder will be added to your library.



Note:

If you are dragging in files that are not already in a folder, it must be dragged to an existing user content folder in Loopcloud. Otherwise the file will not import. After dragging to the appropriate folder, confirm the import of the file.

You can also add samples by going to the menu icon in the top right hand of the application and selecting *add samples*. Then locate the folder which you would like to import.



Importing using this method or with the *Add Samples...* button will only allow you to import complete folders. In order to import individual file, use the drag and drop method. If you choose to reimport the same folder again, Loopcloud will simply re-sync your existing folder. However, any changes to the folder will automatically appear in Loopcloud anyway.

Each folder that you add will be referred to in this guide as a 'base folder'. All content and sub folders in the base folder will be added to Loopcloud.


What you can add

- One or as many base folders as you like.
- Multiple folders at the same time. (i.e. you don't need to wait for the analysis to complete before adding a new folder).
- Folders containing any files types, all accepted file types will display in Loopcloud, but only audio files will be analysed. Any file types not accepted (e.g. DAW analysis files) will not appear in the folder within Loopcloud.
- Folders from any type of internal drive or external USB, Firewire, Network drive etc.
- File analysis processes files that are up to 2 hours long.

What you cannot add

- A subfolder that is already contained within a base folder in Loopcloud.
- A folder that contains a base folder that has already been added.
- The Loopcloud Library folder (as defined in your [preferences](#)), or its base folder.
- A folder that is stored on an external cloud provider (you may experience issues with other cloud services).
- A 'link' or 'alias' to a folder.
- Compressed folders.

Indexing files



Once a folder has been added, the contents will be counted and scanned. During this process, you will see the files and folders appear in the tree view. The status bar at the bottom of the UI shows a how many files have been scanned so far.

If you accidentally added the wrong folder, then press the *CANCEL* button to abort the import process.

Indexing is completed when all files have been added to the Loopcloud database. Loopcloud will now analyse all the files and generate tags.

File analysis



The following tags will be generated on your files.

- File format (.wav > wav, .mid > MIDI, etc)
- Instrument type
- Key
- Content type (One shot / Loop)
- BPM
- Additional (Rhythmic information - e.g. 16th triplets)

Loopcloud applies tags to your user content using the AI tagger. Which can accurately tag your sounds based on analysis of the audio file. So, the details do not need to be in the filename to generate tags.

In addition to AI tagging, the analyser looks at the file name to generate tags. Together, the analyser can provide great analysis of your content.

Auto-tagging can take some time to complete, depending on how many samples you add and the speed of your computer. If files are well named, then this process will be quicker. However, files that need to be analysed will take longer.

The status bar at the bottom of the UI displays info on how many files are analysed and the total number of user content files.

Fast mode

This is the default mode. It may use all your computers CPU.

Low CPU mode

Use this mode if you want Loopcloud to keep analysing in the background, while you use your computer for something else. Loopcloud will analyse more slowly and use less CPU.

Pause

Use this to temporarily stop analysis. Once deselected, the analysis will continue from where the pause was made. If you close the app with analysis paused, then Loopcloud will hold this position once the app is reopened.

Cancelling analysis

If you accidentally added the wrong folder, but the indexing process is already complete. Press the Pause button and right click on the folder in your library; select *File > Remove from library* and confirm. This will abort the analysis process and remove the folder from your own content.

Manually analysing and editing user content

Loopcloud [auto-tagger](#) does a good job of finding tags, but it may make the odd mistake!

If you want to re-analyse a file or folder then right click, find *Loopcloud AI* then select one of the following options (BPM, key or instrument). Select the option relevant to where there is a tagging mistake. This analysis will look specifically for that information.

Loopcloud AI advanced

Use the advanced features to get more specific with your re-analysis or clear tags from a file or folder.

BPM

Use this if your file has the wrong BPM (e.g. 2x or 1/2 speed):

- Select the *Auto BPM* option with the range closest to your sample.
- *Set to one-shot* if the file has been tagged loop, when it is in fact a one-shot.
- *Clear BPM and tags* will remove the BPM and the One-shot / Loop tag.

Key

- Use *Detect Key (Ignoring Filename)* if the analyser is getting the wrong information from the filename (e.g. file with the name A_Synth_Pad in the key of G could be tagged in the key of A).
- *Clear key* tags will remove any existing key tag.

Instruments

- *Set instrument tags using filename* will scan the file/folder searching for possible instruments tags.
- *Clear instrument tags* will remove all tags related to the instrument.


Tag Editor

If you want to do more detailed tag editing, such as addition custom tags, you can do this with the [tag editor](#).


Browsing your own content

Your own content folders are displayed in your library alongside all your Loopcloud content.

'Loopcloud Local' (your own content) display a folder icon with filled blue colour.




Content purchased from Loopmasters.com or from the Loopcloud Store is displayed with solid folder icons.



Files showing a spinning wheel are in the queue for analysis and so will not yet have any tags.

EMU-P2k-06-Shag-083-h4.wav	NEW	○	-
EMU-P2k-06-Shag-084-c5.wav	NEW	○	-
EMU-P2k-06-Shag-085-c#5.wav	NEW	○	-
EMU-P2k-06-Shag-086-d5.wav	NEW	○	-
EMU-P2k-06-Shag-087-d#5.wav	NEW	○	-
EMU-P2k-06-Shag-088-e5.wav	NEW	○	-
EMU-P2k-06-Shag-089-f5.wav	NEW	○	-
EMU-P2k-06-Shag-090-#5.wav	NEW	○	-

If you have samples on removable disks that are not connected to the computer, Loopcloud will display the folder greyed out with a different folder icon. When you reconnect the disk, the folder will automatically become available once again.



Filtering your own content using the filter library search bar

There is a search bar within the library view which you can use to run searches that only apply to the library. These can be text searches or tag searches.


Just type to start the search, it will bring up suggestions for tags. Select tags from the drop-down menu to add them to the search. Do this as opposed to using the tag selector that you would use in to run a store search.

Renaming

Base folders

You can rename the base folder (the top-level folder of content you imported) so that it is easier to find in your library.

Right-click on a base folder and select *File > Rename in library*.



RENAME FOLDER

Enter a new folder name below. This will only change the name of the folder in your Loopcloud library, not the name of the folder on your disk.

Sounds of birds

CANCEL OK

Give your folder a new name and press OK.

Note:

- Renaming the base folder in Loopcloud will not change the name of the folder on your disk.
- If you rename the folder on the disk after changing the name in Loopcloud, the application will no longer be able to find the folder and an error will occur. Please ensure that you either change the name on or hard drive or in Loopcloud, do not attempt to do both.
- You can only rename folders that are User Content, you will not be able to rename folders of Loopcloud Content.

Subfolders

You cannot rename subfolders in Loopcloud. This is because Loopcloud synchronises with changes made to folders on the hard disk. If you want to rename a folder you must do that in OSX Finder, or Windows Explorer.

Keeping Loopcloud in sync with folders and samples on your disk


- Loopcloud will not make any changes to files and folders on your hard disk.
- Changes to any files and folders made on your hard disk will automatically synchronise in Loopcloud.

If any folders or files are added, removed, or renamed from the base folder on your disk, you will see these changes update in Loopcloud.

If Loopcloud is closed when you make changes to your folders, then it will scan for changes when it restarts.

Disabling automatic re-indexing

If you rarely make changes to your samples on disk you can speed up the loading of Loopcloud by disabling *Scan folders on startup* in [preferences](#).



However, changes made while Loopcloud was closed will not update unless you manually re-index the folder(s).

Right-click on the user content base folder and select *File>Re-index this folder* to manually re-index.

Moving and removing

You may want to remove a base folder, or you may want to move samples from one folder to another.

With the case of moving files. If both folders are already synced to Loopcloud, then move the files in Windows Explorer or Mac Finder and the changes will be automatically updated.

If you try to move the files between folders in Loopcloud (by dragging and dropping), a copy of these files will be made in the new folder.

Also, if you move the sounds to a new folder that has not been added to Loopcloud – the files will disappear from the application. Simply drag and drop the new folder into your library to recover them. File tags for files previously analysed will be restored without the need to re-analyse.

The same is true for if you were to manually remove a folder.

You can do this by right clicking on the base folder and select *File > Remove from Library* and confirming.

Loopcloud makes a backup of all the tags for the content that is to be removed.

Re-adding a folder

Drag and drop the folder back into Loopcloud. The folder will be re-indexed, and all files that had previously been tagged will be restored without re-analysis.

User content images

Loopcloud shows images for content purchased from Loopmasters or within Loopcloud. You can set images for content you have added too.


For each sample Loopcloud displays any .jpg or .png image found in the same folder or any of its parents. Images called loopcloud.png or loopcloud.jpg override images of any other name.

If there is no image in a folder or any parent folder, the default image from the [preferences](#) page will be used.

Note:

Images should be square, and 400x400 pixels is the ideal resolution.

You can also set and remove images by hovering over the artwork in the preview editor and change selecting *SET IMAGE* or *REMOVE*.



Cloud Storage

NAME	INSTRUMENTS	KEY	WAVEFORM	FORMATS	GENRES	ALL TAGS
Cloud Storage used 1.1Gb (2%)	Ambience	Key	Wave	100% Instants	100% Instants	100% Instants
Japan Field Recs	Ambience	Key	Wave	100% Instants	100% Instants	100% Instants
Pink Shots	Ambience	Key	Wave	100% Instants	100% Instants	100% Instants


Subscription users have access to Cloud Storage where files can be stored across systems. A new version of the file will be saved within the cloud.

Your cloud storage will appear at the top of the library view, as a folder called *Cloud Storage*. You can also see how much space you have left (in Gb and as a percentage).

The cloud storage folder operates like any other folder in the tree view; however, you can access files contained within this folder from any machine you log in to.

Adding files to cloud storage

After you import new files into Loopcloud and they have been analysed, then you will automatically be prompted to add the new files to cloud storage. Accepting this is one way to add samples to your storage.



You can also drag and drop sound directly into the cloud storage folder.

Right click a file or folder and select *File > Add to Cloud Storage*. A new window will pop up and allowing you to direct the selected files to a specific folder in Cloud Storage.

Managing the Cloud Storage folder

Inside the folder itself is a little different to the other folders in the library view. The files are stored independently on our network. This means that the file data for Cloud Storage

is not stored on your system – unlike with the files in your library. Therefore, the files added to Cloud Storage are not impacted by changes made on the disk. So, you can create independent data for these files.

Right clicking in the Cloud Storage folder will provide a set of actions that allow you to edit and manage files and folders. For example, creating new folders and editing tags.

Favourites

While browsing sounds you may find something awesome that you want to save for later.

Just click on the empty heart icon in the file browser or right-click on the file or folder and select *File > Add to favourites*.


Shortcut: Alt + B

The heart will go solid to show it's been added.




Any file that you have added to your favourites will show in searches with a solid heart icon. Adjust searches to show favourited files at the top of the search. Or, filter out every file except those favourited by using the favourite icon in the [filter results bar](#).

You can show a list of all your favourites by going to the menu in the top right of the app and selecting *Show all favourites* from the drop-down.



Favourites sidebar



You can also view a list of all your favourites in the sidebar. Select the heart icon in the sidebar menu, this will show a list of all your favourites. This allows you to easily access your favourite sound while making another search.

Export a sound directly from the sidebar by clicking and dragging the sound into your project.

Remove from favourites

Click the X on a sound in the favourites sidebar to remove it from the list.

Shortcut: Shift + Alt + B

The loop editor

When a file is selected, it will load in the loop editor. It can then be previewed, downloaded, and exported.

You can also make edits and add effects to suit your needs. Once you have edits that you like, try other files with the same edits as these will not change when a new file is selected.

Things you can do with the editor include:

- Shortening sounds and apply fades.
- Turn one-shots into loops. For example, by putting a snare drum on beats 2 and 4, better allowing you to hear how the sounds you are previewing will work with you track.




Exporter

Here you can buy, download or export the file loaded into the editor (or all the files on all the loop editor tracks).

For files you own and have already downloaded you can export the file either as raw audio or including the processing made in the loop editor (for more information see the [‘Downloading AND Exporting Files’](#) section).

BPM



This is the BPM (beats per minute) your loop will play at.

Sounds with a BPM value, i.e. loops, will be time-stretched if their BPM is different from the value in this box.

Change the BPM by clicking and dragging or double clicking and typing in a number. However, if you are connected to the Loopcloud plugin in your DAW, then the BPM value is automatically locked to your DAW tempo.

Press *x2* or */2* to quickly double or half the playback speed.

You can also right click the number box and select *Lock BPM* and all files selected will play at that tempo. If not selected, the BPM value will change to that tagged on the selected sound (if you only have one sound loaded in the preview editor).

When using multitrack, you will not be able to change the BPM of each individual file. Also, the BPM will also not change when a new file is loaded, unless the BPM is manually adjusted. The only way you can independently adjust a BPM in multitrack mode is by using the $\times 2$ and $/2$ options.

Pitch



If the file has melodic content, Loopcloud will tag a key signature.

Use the Pitch section to adjust the pitch of the file or change the key signature to match your track.

With the **KEY LOCK** button selected it is possible to use the drop-down menu directly below to automatically adjust the pitch to a desired key.

For example, if I have a file in the key of A but my track is in the key of C, then I can choose C from the menu and the file will re-pitch to C.

With auto pitch selected, key adjustments will carry over when a new file is selected.

The pitch slider can adjust + or – 12 semitones. Use the **OCT** button to quickly change a full octave (first click will go up; second will go down and third will revert to the original pitch).

Loops may sound best when they are not transposed too many semi-tones. Transposing a loop by 6 semitones will make acoustic instruments and vocals sound unnatural.

Auto-pattern mode




At start-up the editor is in auto-pattern mode. In auto mode the loop length will adjust to suit the selected audio. Short one-shots will repeat every beat, and longer sounds will be fitted to the loop length.

Loops are fitted using their BPM. If the loop isn't correctly stretched, make sure that it has the right bpm set in the Properties sidebar.

If you make any edits to the loop, including changing the loop length, the editor will exit auto-pattern mode. This means you can select alternative samples and hear them with the same edits applied. This is useful for finding the perfect sound for your record.

The **RESET** button light will illuminate to indicate that you are no longer in auto-pattern mode. Press RESET to lose your edits and return to the auto-pattern mode.

Mac Shortcut:  + R Windows: Ctrl + R

Saving and loading patterns

Once you have some edits you like you can save those as a pattern and apply them to other sounds in the future. Loopcloud pattern presets.

We find saving patterns is most useful for patterns that turn one-shots into loops.

You can scroll through the existing patterns using the arrow buttons, select one at random with the shuffle button, or click on the drop-down menu (which shows *AUTO* at start=up) to select a specific pattern.

Save a preset

If you have made your own pattern, you can save it as a preset by going to the pattern menu and selecting *Save pattern....*

Mac Shortcut: ⌘ + S	Windows: Ctrl + S
---------------------	-------------------

These will appear in the Patterns menu under *User presets*.

All user presets are stored in the following location:

Windows

C:\Users\username\AppData\Roaming\Loopcloud\loop_editor_sequences


Mac

[HardDrive]\Library\Loopcloud\loop_editor_sequences

Go to this folder to organise your presets. Any folders made in this directory will automatically be nested in the *Pattern* menu.

To delete a preset, delete the matching file from the directory and it will no longer appear in Loopcloud.

Edit



This section provides access to some of the other functions in the Preview Editor, as well as some primary edit functions.

Undo/Redo

The arrow icon's in this section can be used to undo and redo actions – these can also be selected from the menu.

Undo	
Mac: ⌘ + Z	Windows: Ctrl + Z
Redo	
Mac: ⌘ + Shift + Z	Windows: Ctrl + Shift + Z

Load/Save Session

In the menu itself there are a variety of options, directly below undo/redo are the load and save session options. These are used to save and recall a complete session.

Load	
Mac: ⌘ + Shift + O	Windows: Ctrl + Shift + O
Save	
Mac: ⌘ + Shift + S	Windows: Ctrl + Shift + S

Using this will allow you to save a loop editor session including the audio file(s) used as well as any edits or effects added. Also recalling every track used in the session. So, if you have used more than one track you can recall all of them at once.

Edit

This sub-menu contains the basic editing functions within the Preview Editor (It is possible to access this menu in the waveform editor by right clicking)

- *Cut* – remove selected region in the waveform editor and add to clipboard.

Mac: ⌘ + X	Windows: Ctrl + X
------------	-------------------

- *Copy* – add the selected region to the clipboard.

Mac: ⌘ + C	Windows: Ctrl + C
------------	-------------------

- *Paste* – add the clipboard region to the currently selected location.

Mac: ⌘ + V	Windows: Ctrl + V
------------	-------------------

- *Erase* – remove the currently selected region.

Shortcut: Backspace

- *Duplicate regions* – and a copy of the selected region directly after. If you hold while clicking and dragging on a region – you can make a duplicate and move to your choosing

Mac: ⌘ + D	Windows: Ctrl + D
------------	-------------------

- *Clear track* – reset all features on current track to default.
- *Clear all tracks* – completely reset the loop editor to default settings.

View

This allows to you adjust the [zoom](#) of the waveform editor.

Tools

Manually select the editing [tools](#) available.

Grid



Change the size of the grid lines in the waveform editor.

The default is *AUTO*, this will adjust the grid size depending on the zoom. The current grid size is displayed over the waveform in the top right.


Uncheck *Snap to grid lines* to allow you to move regions and make edits that don't snap to the set grid. You can hold down shift when using any tool to temporarily disable the grid.

Tools



Each tool will change the role of your cursor in the waveform editor. The descriptions below go chronologically to the icons in the tools bar (as above).

Drag tool



Shortcut: alt + 1

This is the default tool. With it you can carry out many of the editing functions.

The waveform editor is split horizontally in half. The top half will allow you to move regions. While, the lower half can allow to make selections to delete or cut/copy.

It is also possible to drag out the edges of a region to lengthen or shorten. Or, in the top corner of the region, drag a fade out or fade in.


You can adjust the volume of a region by dragging on the decibel value in the centre at the top of the region (as the default is at 0.0dB). If your file is still quiet at 0.0dB then drag up to increase the gain beyond 0.0dB.

Holding down alt will give you quick access to the split tool.

Holding Ctrl/Cmd then clicking and dragging a region will duplicate the region to the point where you drop it.

Holding down Shift will allow you to select multiple regions. You can perform global changes e.g. move as a group or adjust the volume. All changes are shared between the items selected.

Split tool



Allows you to make cuts in regions. Access this with the Drag tool selected by holding alt.

Shortcut: alt + 2

Slip tool



Change which part of the file is playing in that region. This is particularly useful when working with long files, making it easy to chop up sequences.

When you click a region with the slip tool, a small window will appear above your cursor to help you in finding the right position.

Shortcut: alt + 3

Mute tool




Mute individual regions.

It is also possible to mute with the Drag tool by double clicking on the region.

Shortcut: alt + 4


Reverse tool



When you click on a region with this tool, the audio file will be reversed.

Shortcut: alt + 5


Pitch tool



This will show a line on each region when selected. Click and drag on each to adjust the individual pitch of the audio.

Shortcut: alt + 6

Pencil tool



Click anywhere in the waveform editor with this tool to create a new region.

Shortcut: alt + 7

FX Edit

This will open the [Effect dock](#). If you have applied FX this button will illuminate. Once the Effect dock is open then the waveform will show automation for the FX.

Zoom



Control the zoom adjustment to the waveform editor.

In the waveform editor, click and drag the timeline bar at the top to change the zoom size more precisely (you can also hold ctrl/⌘ and scroll).


- Zoom all – This will revert the zoom to fully out.
- Zoom in – incrementally zooms the transport towards the start.
- Zoom out – incrementally zoom's out the transport.
- Waveform view – Gives an overview of the whole transport. Zoom using click and drag.

DAW Link

 **Connect to DAW**

When an instance of the Loopcloud plugin is selected in your DAW, you can connect to it with this button. This will indicate that the app has successfully connected to the plugin. Click the power button to disconnect from the DAW at any time without removing the plugin from the project. See more information in [Using Loopcloud with your DAW](#).

Artwork and Transport Controls



Here will display the artwork – from relevant pack or personalised in your [user content](#) – as well as some master functions.


Click on the *i* when hovering over the artwork to show the full pack – you will only be able to do this with store content.

- Play/Pause **spacebar** – global buttons for starting and stopping the transport.
- Solo – the *s* icon will solo the currently selected track (muting all other tracks).
- Loop – makes the loop bounds to be active, or not.
- Volume knob – set the volume of the currently selected track.

Tip:

When running a search, you can load a shortlist of results on different tracks, then use solo to quickly audition each and find out which you like best.

Waveform Editor



Here is where your file will appear once selected. This is also where you will make any edits your file. Be aware that any changes made in the waveform editor will carry over to the next selected file. To reset the track, use the [edit menu](#). Or, right click and *clear track* in the Multitrack Bar.


Multitrack Bar



The bar at the bottom of the Preview Editor allows you to select between different tracks.

The number of tracks that are available depend on your subscription level - free subscribers will be limited to 2 tracks while paid subscriptions have 8.

In the bar itself you can easily mix tracks by using the gain slider to the left of each track. There is also a *m* icon, when hovering on the far right of a track, which will mute the track.



Right click on a track to make a clearance to the file. *Reset to auto pattern* will remove any pattern from the track. *Clear track* will reset the selected track. *Clear all tracks* will reset the complete multitrack session. *Show in library* will open your library at the location of the selected file.

Effects dock



Open the effect dock using the FX Edit button in the Preview Editor.

Effects can be applied to the whole loop or [just regions of it](#).

For Example:

A hi-hat pattern may require reverb which can be applied to the whole loop but using the panner on individual regions can place each hit at a different position. That way you can easily make a stereo moving hi-hat rhythm.

In the effect dock you can add effects from Loopcloud native FX:


- Compressor – Easy to use compressor to beef up your sounds. Use *Speed* and *Amount* to change the impact the compressor has. *Presence* will add clarity and punch to the mids.



- Delay – Simple stereo or ping-pong delay with synced or free tempo. As well as filtering for the wet signal.



- EQ – Adjust the tone balance of your sound to fine detail with this four-band parametric equalizer. Make changes by clicking and dragging any of the four nodes. Fine tune the frequency, gain and Q point of each band in the left-hand panel. You can also change the curve type of each band here.



- Filter – High-pass, band-pass or low-pass filter with big knob cut-off frequency. Resonance will add focus to the cut-off frequency and drive will add some gain to

the signal.



- GrainStretch – This is a great tool for creative sound design, particularly for making metallic and glitchy effects. The *Stretch* parameter will impact how much time stretch will be applied to the audio file – a greater value here will produce a more noticeable effect. *Grain Freq* will impact how long each grain is – a lower frequency will preserve more of the natural sound, while a higher frequency will further warp the sound. *Soft/Hard* impacts the size of the fade between grains therefore, in Hard mode, transients are better preserved.



- Panner – One knob L/R panner.



- Reverb – Digital reverb scalable by size. Mix how much reverb you would like to hear and use the tone adjustment to focus on specific frequencies.



- Stop Reverse – This will add a vinyl stop effect and then reverse the audio slowly back up to speed. You can adjust where this will take effect with automation.



- Tonebox – is a distortion and cabinet effects unit. Select from six distortion types and 18 cabinets. Use the Drive and Tone knobs to control the amount of distortion applied. Low settings will give slight tone adjustment while higher settings will produce some audio mangling.



- Vinyl stop – This will just add a vinyl stop effect to the region. The speed of the stop is adjusted using the knob in the effect.



Adding an effect

Press the + on the centre of the FX panel, this will bring up a menu listing the Loopcloud native FX. Each has a list of presets. The presets are particularly of use to 'free' subscribers because they will not be able to edit the effect parameters or automation.

With a free subscription if you try to click in the Effect dock (aside from the add icon), a window will prevent usage. This can direct you to a page where you'll be able to adjust your subscription plan.


Once you have added an effect feel free to add as many as you like. If your signal chain goes beyond the view of the FX Dock, click and drag the bar directly below to side scroll.

Automation

With any paid subscription, FX editing is allowed. This means that you can adjust the FX parameters to suit you.

You will notice that the waveform is overlaid with new parameters with the Effect Dock open. This is the automation for the effect. Adjust this to choose which regions you


would like to be affected. You can do this with the drag tool functions. Close the FX Dock to hide the automation.




To change between effect automation, select the effect you would like to automate in the FX dock.

The current effect automation is detailed in the watermark at the centre of the waveform.

Adjust automation in the Waveform Editor. In the top left of the region, there is a menu where you can select different parameters.




On the top right of the waveform, you will be able to change the automation LFO. There are a variety of shapes available that will change the automation curve. This will default on *SWEEP*, unless using a preset that uses a different shape.



Drag the node on either side to control the amount of movement in automation.

Click the line anywhere between the two nodes to move the line as one shape.

With any other shape, other than *SWEEP*, the number of times that a shape repeats over the time can be adjusted using the second node.



This is bound by *Snap to grid*, you can remove this setting in the [Grid](#) section.

With multiple regions in your Waveform Editor view, each region has the option to control unique automation. This is great for getting creative.



If you would like the same automation to appear across all regions, then press the link icon (next to the shape menu). This will only apply to the currently selected parameter.

Turning off the link button will not revert to the previously set automation.



Effect presets

When loading a plugin, a menu will extend on each effect with a selection of plugin presets. Click on one of the presets to load the plugin with the preset.

Easily browse presets with the plugin loaded by clicking the arrow keys at the top of the plugin.

Alternatively, select the menu icon to find a specific preset.

Save presets

Save your own preset by clicking on the plugin menu icon and select *Save preset...*

Then enter a name in the window that pops up.

Find your preset under *User presets* in the plugin menu.

Using Loopcloud with your DAW

Installed with Loopcloud is the Loopcloud Plugin. This will improve your workflow and offers great ways to preview sounds in context with your track.

Open your DAW and load the Loopcloud plug-in onto an instrument track.

Once the plugin is loaded in your DAW, return to Loopcloud and click the *Connect to DAW* button in the lower right corner of the window.

Loopcloud is now connected and in sync your DAW. When you start the transport in your DAW, Loopcloud will automatically play your preview in time with the DAW tempo.

Tips:


- Most DAWs have an auto-load or a template project. Add Loopcloud to a channel in this template, so every time you open a new project Loopcloud is ready waiting for you.
- You can use the Loopcloud plugin as a simple 'in-sync' sample preview. You can also use it like any other plugin. Therefore, use it as part of your signal chain (i.e. add effects after). This way you can hear your previews in context with the rest of your track.

Connect multiple instances of the Loopcloud plugin



You can now connect the Loopcloud plugin multiple times within your project. So, you can demo different ideas on different tracks.

In your DAW, open two instances of the Loopcloud plugin on different tracks.

Open Loopcloud and click the *Connect to DAW* icon in the bottom right. This will open a drop-down menu where you can select the instance you want to run Loopcloud to.



The selected instance will become active in your DAW while any other instances will remain unusable.



Click the DAW link icon again to remove the connection and repeat to select a different plugin.

Using the plugin with MIDI

If you load the Loopcloud plugin onto an instrument track in your DAW, you will be able to use MIDI to play and arrange parts.

Add MIDI notes to the DAW transport to play your sample at different pitches. For example, if you have a synth pad sample you may want to play some chords as opposed to just the set pitch.

Be aware that the MIDI note C3 is the root note so, when using this feature, be sure to set the AUTO pitch to C. That way the file's pitch will match the notes on the keyboard.

Once you have made a part which you are happy with you can either record the channel individually to create a complete audio file. Or, [save your session in Loopcloud](#) and reload the session the next time you're working on the track.

Loopcloud Drum & Loopcloud Play

Loopcloud Play and Loopcloud Drum are additional plugins bundled with the download of Loopcloud. They provide access to a host of new sounds from your favourite producers. Loopcloud Play is a synth player meanwhile Loopcloud Drum is a drum player. When you open up either plugin in your DAW, Loopcloud will automatically open. On the first load of either plugin, the native presets will download in Loopcloud. This way you have sounds to play with immediately. Loopcloud must be open in order to load any preset. When you download a new patch from Loopcloud you can drag and drop from the FILE icon straight into the plugin. This will load the new preset.


Downloading and exporting files

Loopcloud streams audio in a preview quality version, this compressed file is much smaller than the high-quality version, so it is quick to stream to your PC.

When you want to hear the full quality version and export it, then you need to download the file to your computer. Click on the export button to download the file to your computer.

The file will automatically download if it is not already on your system. You will not be able to export the file until the download has finished.

The Export Button



Loopcloud 6 brings a new way to export your sounds to make the process quicker and easier with all functions contained within one button.

The quickest way to download your file is to drag from the export button, or click it to copy the file to your clipboard. Then bring it into your project.


You can also download multiple files at once. Select all the files that you want to download, right click and select *Download in background*.

Mac: ⌘ + shift + D

Windows: Ctrl + shift + D

On the button itself, you can see which export type is has been selected. Change the file you want to export by opening the Export Preferences (the cog icon to the right of the export button).

Export Preferences



Export

The export drop down will allow you to change what is exported when using the export button. The options are as follows:

Current Mix

Produces an audio file that compiles all the tracks in your Loopcloud session into one. The file will match the longest file in the session, with any smaller tracks being looped to fit. This will give you an audio file that is a complete loop.

This method exports after edits and FX applied to the audio files. So, any changes to the audio files in Loopcloud will appear on the exported file.

Original File

Export the raw file of the currently selected track only, without any edits made within Loopcloud (such as BPM and pitch changes).

It is also possible to drag the file from the results view to export the raw file.

Processed Current Track

Will export the version of the file on the current track, containing any edits made within Loopcloud. For example, if you have created a pattern out of a file on *Track 1* and added FX then this method will export the audio from *Track 1*.

Processed Separate Files

Exporting this way will produce a similar result to *Processed Current Track*, however it will export all the tracks in your Loopcloud session as individual files.

The sizes of each file will match the length of a single loop of each sound. As opposed to being repeated to match the longest loop.

Original Separate Files

All the files in your session will be exported as individual files but any processing from your Loopcloud session will be removed. Note that this does not only remove effects but also BPM and pitch adjustments.

Note:

- If you are exporting files that are not audio files (e.g. MIDI), then you can only export this file on its own. It will not be included in any group exports. Instead, the track will only allow you to export the original file.
- Once downloaded, files are saved to the Loopcloud folder on your hard drive. If you would like to see this location, then right-click a downloaded file and select *Show in Finder* (OSX) or *Show in Explorer* (Windows). Or, find the download folder location in your [preferences](#).
- Once downloaded, files are saved to the Loopcloud folder on your hard drive. If you would like to see this location, then right-click a downloaded file and select *Show in Finder* (OSX) or *Show in Explorer* (Windows). Or, find the download folder location in your [preferences](#).
- You cannot export folders from Loopcloud.
- Clicking the *Export* button will copy the file(s) to your clipboard. You can then paste to a location of your choice (some DAW's such as Reaper, Studio One and Bitwig do not support pasting files from clipboard meaning – this feature is not available in these DAW's)

Mac Shortcut: ⌘ + V Windows: Ctrl + V

Exporting regions

Export regions of your edited file from within the loop editor by dragging out the region to your DAW or folder of choice. This allows you to quickly export edited files.

Dragging hides Loopcloud

With this enabled, the Loopcloud window will temporarily minimize which dragging the file into your DAW. This makes it easier to find the right place for your exported file. Disable this in the *Export Preferences*.

Export a file to a location

It is now much easier to export your files to a specific location on disk.

With a file or session loaded that you want to export, press `ctrl/⌘+E`. Alternatively, you can select *EXPORT TO LOCATION* in the *Export Preferences*.

This will open a new window where you can select the location to save your file.

Change the default export location

Open the *Export Preferences* menu.

Expand the *Advanced Options* menu.

Here you can set a custom folder. For example, your personal sample folder on disk. Then every time you use the export to location shortcut, the explorer will automatically open to this file location.

Ensure that *Use custom folder* is enabled to use this feature.

You can also enable *Normalize*, this will give all your exported files a matching output gain.




Tagging – File Information

Files in Loopcloud can have tags applied. The tags make it easy to find the files you want. Sounds from Loopmasters have already been tagged.

Your own content will be automatically tagged in import.

You can add or remove tags to any file in Loopcloud. You can do this to correct tags that are wrong or to add your own custom tags.

Some are details that give information about the file, while other tags provide descriptive terms to aid searching – additions or edits are made in the [Tag Editor](#).

NAME	WAVEFORM	KEY	FAVOURITE	BPM	SIZE	STATE
DAA_175_F#_Bestival_808.wav		F#		175	2.8Mb	

Name

This is the full file name – the format will appear at the end in light grey text (in this case the file is a .wav).

Favourite

Click the heart icon to favourite the file so it appears in your [favourites list](#). Full hearts have been added to Favourites, empty hearts have not. Use favourites to keep track of sounds you use regularly or files you want to keep in mind for a future purchase.

State

State shows one of three icons. Above, the first (cloud icon) indicates the file is available in your library but is not [downloaded to your disk](#). The Second (cloud over the monitor screen) means that the file is in your library and downloaded to disk – therefore is available to export. The third displays for store items that have not been purchased, the number in the box represents the cost of the file in points. If the file is free this button will show *FREE*. Click this button to make a quick purchase of the file. This will automatically load the file to your library.

BPM

Shows the BPM. Only Loops should have a BPM. The BPM value is used to [accurately time-stretch the file to match your DAW tempo](#). Files with no BPM will not time-stretch.

Key

Shows the key or root note, and whether in a major or minor key. Auto-key will make pitch adjustments from this key. For example, if your sample is tagged as B, and you set the auto key to C, then Loopcloud will move the pitch up by 1 semitone. If your sample sounds out of tune then it might be worth checking that it is tagged with the right key.


Tags

Tags organised into the following categories:

- Instruments
- Formats (e.g. WAV or RX2, Sampler Patch or MIDI file)
- Genres
- Labels

- Additional


Editing tags



You can use the *Properties* tab to make any edits or additions to the tagging information of the currently selected file.


For example, if you have a file that continues to be tagged as *loops* when the audio file is a one-shot (even after [re-analysis](#)). Then you can change the tag manually by removing the *loops* tag in the *CURRENT TAGS* section – the *x* icon next to the chosen tag.

Then, add a *one-shot* tag using the text box (or by locating the tag you require in the *TAG MANAGER* section).



Edit BPM and Key

EDIT BPM and *KEY* sections allow for adjustments to be made to the BPM tag or the registered key.



Adding a tag to a file

You can easily add a tag to a sound in the *Properties* tab and searching for the tag you want to add. This will apply the tag to the currently selected sound. You can add create new tags in the *TAG MANAGER* section.

Removing a tag from a file

In the *Properties tab* you will also see a complete list of all the tags that are applied to that file. Here you can remove any tags from the file by pressing the **x** next to the tag you would like to remove.

Editing more than one file at once


You can also select multiple files at once. Each time a new file is selected – and they have tags that don't match the other files selected, any new tags will appear, unlit. Adding and removing tags with multiple files selected will apply the changes across all files.

Creating a new custom tag


Creating your own user tags has several interesting uses. For example, you may want to add more details to the existing tagging – i.e. you've got some guitar samples but want to tag some as CLEAN and some as DISTORTED.

To create your own tag:

- Locate the *TAG MANAGER* section of the properties view.



- Right click on your chosen parent tag and select *Create tag...*, you can only add tags to the existing parents therefore you should choose one that is appropriate. For example, I want to add rhythmic timing information so I will create a new tag under *Additional*.
- Choose a colour for your tag and press *SAVE*. The tag will show as your chosen colour in the results view.



- Now I can *SET* that tag to add it to the file or find it in the tag search bar.
- You can make any tag a parent by following the first three steps again. In my case, I might want to make some different time signature information under my Timing tag.
- If you add the tag to the wrong place, you can drag and drop it to a new folder. Also edit one of your tags by right clicking and selecting *Edit...*
- Factory tags cannot be edited or dragged.

Other uses for custom tags include:

- Creating a tag for a specific track you are working on, that way you can add the tag to any file that you feel would suit that track during your search. This way you can simply go to the tag results when you're looking for a sound to add.
- If you are working with other artists or session musicians create a custom tag with their name on it to group all the sounds that are for that session.
- If you find a file that you like, but you don't need at the moment of the search, you can add a custom tag to group files that you want to use in the future.

Menu – Account and Preferences

In the top right of the app there is a menu and an account icon.

Account Window

The account icon shows a rounded number of points that you have in your account. If you click on this, you will be taken to your account window. You can also get here through the menu and clicking *Account*.

- *Email* – this indicates which account you are currently logged into. At the end of this row you can logout of your account.
- *Storage* – Shows if you have cloud storage with your account. The total amount that you have as well as the amount used, will appear.
- *Points* – This is the exact number of points in your account.
- *Subscription* – The subscription level of your account.

BUY MORE POINTS and *INCREASE STORAGE* will take you to the relevant links on loopcloud.com.

SETTINGS will take you to a web page where you can adjust your email or password etc.

Menu

Show all favourites – Opens a new search that contains all the files that you have in your [favourites](#).

Check for updates – Will see if the version you are on is the most up to date version. Loopcloud does do this automatically but you can use this to manually check.

Help – Takes you to a new webpage with a series of tutorial videos to give you a hand. Great if you're just starting out.

Account – Opens the account window.

Preferences – Opens the preferences window.

More – Lists some manual actions for shortcuts such as open user library.

Preferences Window

Open the preferences window by selecting *Preferences* in the Menu

Mac: ⌘ + , Windows: Ctrl + ,

The window will have four tabs at the top.

Options

USER CONTENT

- *Analysis speed* – Set's the default speed for analysing imported content. Adjust to suit how much load on your CPU and RAM you would like to take.
- *Scan folders on startup* – If enabled, the app will scan changes made in your user content folders while the app was closed. Uncheck if you are experiencing long startup times.
- *Select default image* – Upload an image file. This will show for all files in your user content. Unless, a different image is set.

- *Audio Attributes Feature* – enables or disables the use of audio filters for searching.

GENERAL

- *Auto-download small purchases* – With this enabled any purchase you make, that is below a certain duration, will automatically be downloaded to your library. Disable this if you are finding the app to run slow when purchasing files.
- *Show hidden items* – If you have [hidden items previously](#) and would like to retrieve them, then enable this option.
- *Show warning before exiting* – when enabled, Loopcloud will show a pop-up message when closing the app to confirm the decision.
- *Select library folder* – this will automatically be set to the folder created when downloading Loopcloud. It contains all the content that you download using Loopcloud. Change this location if you want to set a custom folder.

VIEW

- *Colour scheme* – Select one of our predesigned colour schemes. We have a light, neutral dark and dark mode available.
- *Multicolour waveforms* – When in dark mode, it is possible to change the colour of the waveforms based on the setting here.
- *Always on top* – If enabled then Loopcloud will always be in the foreground of your computer screen.
- *Scrollbar style* – Changes the view of the scrollbar icon when searching through results. There are two styles, macOS and Hybrid.
- *Docks to screen edges* – Will allow you to drag the window to the edge of the screen to change its resolution and dock to the chosen side.
- *Percentage screen width when docked to an edge* – Will adjust the resolution size when docked.
- *UI zoom* – This number will change the size of the UI (font sizes, icon sizes, etc.)
- *On startup show* – choose which screen Loopcloud will automatically load when it starts up. Choose either Home screen or Library.

ADVANCED

- *Enable debug logging* – Debug logging will help Loopmasters solve user problems. Having it enabled may cause a slowed performance.
- *Database backups* – Creates a backup on your downloaded content to prevent risk of file loss. Disable this feature to reduce disk space.
- *Do not close audio device* – The audio device will automatically be turned off after inactivity, in order to save CPU. If you are experiencing audio device issues, then try enabling this feature.

Install Directories for Synth Patches

When downloading synth patches for external VST's (i.e. Massive) you must ensure they export to the right folder. You can also change the folder if you would like to set a custom one.

Audio

Here you will find your audio routing settings. You can adjust your audio output to match a selected audio interface as well as adjust sample rate and buffer size.

Keyboard Shortcuts – Finding and Creating

Here you will find a list of all the keyboard shortcuts that are available in Loopcloud. If you would ever like to find out what the shortcut is for an action, use this as your point of reference.

You will also notice that many actions do not have attached keyboard shortcuts. This is to allow you to make custom shortcuts to your needs. If you find an action you regularly use does not have a shortcut then go ahead and add one here.

Find the action from the list and select the plus button at the end of the row.

Then press the key combination you would like to use as a shortcut.

If the combination is already used by another shortcut then you will receive a warning about replacing it. Select *OK* and *Re-assign* if are happy to replace the key command. This will remove the command from the previous shortcut and apply it to the newly selected one. Otherwise press *Cancel* and chose another key command.

You can replace existing key commands with new ones by using the same process.

At the bottom of the tab is a *reset to defaults* button which will return all shortcuts to their original key command. As well as removing key commands you have added to make new shortcuts.

Advanced user features

Advanced and debugging features can be accessed by holding down `alt` whilst selecting clicking on specific areas of the app.. These include:

The main menu will show a sub-menu for advanced features:

Bulk Tagger

The [bulk tagger](#) allows you to repeat a list of searches and apply tags automatically to those search results. You provide a list of searches to run and the tags to apply to files that match those searches in a plain text file.

Resync


Will cause Loopcloud to check for updates to your own content. This is done automatically unless *Scan folders on startup* is disabled in [preferences](#).

Checkpoint local database WAL & Deep clean local database (Vacuum and truncate WAL)

Only use these features if requested to do so by support.

Show complete product list

This will start a new search showing every pack we have available in the store. This will take some time to load.

Mac:  + Shift + R	Windows: Ctrl + Shift + R
--	---------------------------

Show user library folder

Opens your library.

Clear caches

Different caches containing information such as recently previewed files, are kept on the system. These are automatically cleared every few days but use this to manually clear if you are finding the app to perform particularly slow.

Run diagnostics

If you feel that there is something wrong with your software, use this to run some basic tests and ensure that everything is in order. After running, should an issue be flagged, this will be very useful to the support team in order aid them in solving your issue.

Window size

Changes the resolution of the app to two separate sizes (small and large)

Create your own colour scheme

If you go to *Edit colour scheme* from the menu, a new window will open. This will have a list of all the panels and icons in Loopcloud alongside a colour selector.

The list of options is defined by area of the app and then a breakdown of specific parts of the area.

For example, *filterToolBarBg* changes the background colour of the filter toolbar.

Once you have found the area you would like to change, use the colour selector (or paste the HEX) to change the colour and see the colour change.

If you're happy with the colour, then use *Identify* to apply the colour to that feature.

This will also provide the code for that colour (HEX) you can copy this using *Copy HEX* to transfer the same colour to other areas of the app.

Force products database refresh

Only use this feature if requested to do so by support.

Find tag UUID in Loopcloud

Find the tag you want in the [tag manager](#). Right click while holding **alt** and select *Copy uuid to clipboard*.

Copy UUID of an item

alt + **right** click on an item in the results view will allow you to:

Copy UUID to clipboard – copies the product UUID to clipboard

That are particularly helpful with getting more information for support queries.

Cancel automatic login

During application startup **alt+shift** will show the login window.

Tag keyboard shortcuts

You can assign tags to shortcuts for fast tagging. Pressing the shortcut key will automatically assign the tag to the selected files. This is useful for tags that you use a lot.

For example, let's say that you are working on a track and you would like to create a tag that groups all the files you'd like to use together using a tag you made called 'trackA'.

You would then right click on the 'trackA' tag in the [Tag Manager](#) and *Set shortcut*, then select a key from the list i.e. *F*.

Then, every time you come across a file that you would like to use in the track just press the *F* key on your keyboard and the 'trackA' tag will be applied.

You can also do this with groups of selected files or folders in order to apply the tag to a batch of files.

Custom automatic tagging

There are two options:

- A manual run of the bulk tagger
- Automatic rules applied whenever new files are imported.

In both cases a text file containing the rules is used. The format is the same in both cases.

Bulk Tagger

The bulk tagger allows you to repeat a list of searches and apply tags automatically to those search results. You provide a list of searches to run and the tags to apply to files that match those searches in a plain text file.

The bulk tagging supports the full search syntax described above. You can access it by holding down **alt** and clicking the menu in the top right.

File Format

Create a file in a plain text editor like Notepad. The file contains multiple lines, each starts with a search query, and is followed by one or more comma separated tags to apply:

```
<search query>,<tag>[,<tag>,<tag>...]
```

For example:

```
regex:.*DRUMLOOP.*,Loops,Drum Loops
```

Will tag everything with DRUMLOOP in the file name with the tags Loops and Drum Loops. You can have multiple lines in the file, for example:

```
_A_,A
```

```
_B_,B
```

```
_C_,C
```

Might be useful for tagging all the keys in a well named bunch of files (e.g. PIANO_A0.WAV, PIANO_B3.WAV) automatically.

Save the file as a .TXT file.

Lines starting with // are ignored by the bulk tagger and can be used for comments, e.g.

```
//_A_,A
```

```
// This rule never worked.
```

```
_B_,B
```

BPMs can be set using the bulk tagger, use this format:

```
<searchstring>,bpm:<somebpm>
```

For example:

```
_120_,bpm:120
```

```
_121_,bpm:121
```

Loopcloud though now has an auto-bpm tool which does further analysis to improve the accuracy, so you are unlikely to need this feature.

Tagging on import

The tagger uses embedded rules when importing files.

It is possible to add additional rules but not to override the existing internal rules.

The replacement or additional rules need to go in the User data folder in a subfolder called 'rules'.

```
{user data folder}/rules/my_new_tags.txt
```

The format is the same as for the bulk tagger. You should restrict yourself to filename and regex tagging rules though as when files are important, they will not necessarily have bpm or tag information when these rules are run.

Files and Folders

Loopcloud stores data in the following locations:

	Mac	Windows
User data folder Contains the log files, configuration files etc.	~/Library/Loopcloud/	%HOMEPATH%/AppData/Roaming/Loopcloud/
User account data folder Contains the local.db and server queue database	~/Library/Loopcloud/<username-without-@-sign>	%HOMEPATH%/AppData/Roaming/Loopcloud/<username-without-@-sign>
Supporting Files	/Library/Application\ Support/Loopcloud/	c:\ProgramData\loopcloud
Executable directories	/Applications/Loopcloud.app	C:\Program Files\Loopcloud
VST plugin location	/Library/Audio/Plug-Ins/VST	C:\Program Files\Steinberg\VSTPlugins\ *may be different
Audio Unit plugin location	/Library/Audio/Plug-Ins/Components	NA
AVID Protools plugin location		

Preview Folder Location

The preview folder caches recently used preview files. They are deleted after a few days.

Library Folder Location

The library folder is shared between user accounts. You can see the current location of the library folder in [Preferences](#). On Windows we put the folder in the root of the hard drive because maximum path-length can be easily exceeded otherwise.

Windows and Mac file name issues

Mac and other UNIX based systems only prohibit two characters in filenames '/' and the NUL characters.

Windows prohibits:

- < (less than)
- > (greater than)
- : (colon)
- " (double quote)
- / (forward slash)
- \ (backslash)
- | (vertical bar or pipe)
- ? (question mark)
- * (asterisk)

As well as number of special reserved file names.

If you have used these in sample libraries, you should rename your files before importing them into Loopcloud if you intend to ever share your library with a Windows computer.

Performance

Loopcloud search and browsing performance is critical. If something goes slowly, we are interested in making it faster. However, it always helps to have a fast computer.

We have tested the following and consider performance acceptable:

- 40,000 sample sized library on
 - Our basic system: A Lenovo i3 with a magnetic 5400 rpm hard disk. There are some pauses, but it is very usable.
- 400,000 sample sized library (450 products) on
 - A 2016 MacBook Pro with an SSD - searches are almost instant.
 - Our legacy studio system: A 2008 Mac Pro with SSD. Searches take around 4 seconds.
 - A middle of the range laptop: Windows 10 SSD based Intel i7 from HP.